

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHAVE COME:

Holden's Houndation Seeds F. T. G.

MICCESS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT. THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, FIGHRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY THARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE GHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR RETING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT OBY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

CORN, FIELD

'LH342'

In Testimonn Thereof, I have hereunto set my hand and caused the seal of the Hant Mariety Arotection Office to be affixed at the City of Washington, D.C. this twenty-ninth day of April, in the year two thousand and eight.

Allest.

Be-zu

Commissioner Plant Variety Protection Office Agricultural Marketing Service Colmand T: Shafe

griculture

CARACITY OR TITLE

CAPACITY OR TITLE

Patent Scientist

DATE

INSTRUCTIONS

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$3,652 (\$432 filing fee and \$3,220 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfilled. Mall application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$432 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvpo/pvp.htm

ITEM

- 18a. Give:
- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 18c: Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 18e, Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97,103).
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 21. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

Sold in U.S. - December 2004

23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority. For example, for agricultural and vegetable crops, contact: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center--East, Beltsville, MD 20705. Telephone: (301) 504-8089. http://www.ams.usda.gov/lsg/seed.htm

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 3.0 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require elternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5954 (voice and TDD). USDA is an equal opportunity provider and employer.

SY-470 (02-10-2003) designed by the Piant Variety Protection Office with Word 2000. Replaces former versions of SY-470, which are obsolete.

EXHIBIT A

Origin and Breeding History LH342

LH342 was developed from the cross of LH176 x LH163 by selfing and using the conventional ear-to-row system of plant breeding. Yield, stalk quality, root quality, disease tolerance, late plant greenness, late plant intactness, ear retention, pollen shedding ability, silking ability and corn borer tolerance were the criteria used to determine the rows from which ears were selected during the development of LH342.

LH176 and LH163 the progenitors of LH342, are proprietary field corn inbred lines of Holden's Foundation Seeds, L.L.C..

N	Vinter 1993-94	The inbred line LH176 (a proprietary Holden's inbred) was crossed to the inbred line LH163 (proprietary Holden's inbred) in Hawaii Field/Row 39322-39325.
S	ummer 1994	The S0 seed was grown and self-pollinated in nursery range/row 54523 in lowa.
S	ummer 2000	The S1 seed was grown and self-pollinated in nursery row 426 in lowa.
V	/inter 2000-2001	The cross of LH176 x LH163 was induced in Hawaii nursery row 1642.
S	ummer 2001	The induced cross of LH176 \times LH163 was doubled in Hawaii nursery row 20300.
S	ummer 2002	S6 ears were grown ear-to-row and self-pollinated in nursery row 72053 at lowa.
Sı	ummer 2003	S7 ears were grown ear-to-row and self-pollinated in nursery row 28188 at lowa.
Sı	ummer 2004	S8 ears were grown ear-to-row and self-pollinated in lowa nursery row 74281-74290. Line coded as EX7241.
W	inter 2004-2005	Final selection made in Hawaii field #05PA2B1 and line coded LH342.

Statement of Stability and Uniformity

LH342 has shown uniformity and stability for all traits described in Exhibit C. It has been self-pollinated and ear-rowed for four generations, with careful attention to uniformity of plant type to ensure homozygosity and phenotypic stability.

Statement of Variants

The line is stable, uniform and no variant traits have been observed or are anticipated in LH342.

EXHIBIT B

(revised)

Statement of Distinctness

Holden's Foundation Seeds L.L.C. believes that Corn Variety LH342 is most similar to Corn Variety LH176, an inbred developed by Holden's Foundation Seeds L.L.C.

Corn Variety LH342 differ from Corn Variety LH176 at the following traits:

Trait	LH342	LH176
Husk Tightness*	Very Tight	Loose
	(9)	(2)

^{* -} scale from 1= very loose to 9 = very tight

2005

Variety	Tassel Branch No.	Tassel Length (cm)
LH342	4.8 (Std Dev = 0.8, N= 10)	28.0 (Std Dev = 2.4, N= 10)
LH176	11.9 (Std Dev = 1.4, N= 10)	42.5 (Std Dev = 3.7, N= 10)
P_Val	0.000	0.000
Signif.	**	**

2006

Variety	Tassel Branch No.	Tassel Length (cm)
LH342	3.6	35.5
	(Std Dev = 09.1, N=10)	(Std Dev = 3.6, N= 10)
LH176	9.0	45.5
	Std Dev = 1.6, N=10)	(Std Dev = 3.1, N= 10)
P_Val	0.000	0.000
Signif.	**	**

Significance levels are indicated as: + = 10%, * = 5%, ** = 1%

Corn Variety LH342 has fewer tassel branches, a shorter tassel length and a very tight husk while comparative corn variety LH176 has more tassel branches, a longer tassel length and a loose husk.

EXHIBIT B (cont'd)

Description of Experimental Design

The corn varieties LH342, LH176 and CM105 were grown at the Waterman, IL observation nursery in years 2005-2006. The varieties were planted in 2 row plots with 15 plants per row in each of the three years. Trait data were collected on 10 random representative plants for most traits from each 2 row plot. Data on qualitative traits are usually collected on 10 plants from each 2 row plot. For Exhibit C all data were pooled and reported as means across the years for subject variety and the standard variety with standard deviation. The varieties are randomly planted in a 4.5 acre observation nursery which is located within a larger 18 acre field. Besides the observation nursery, this field consists of a research seed increase nursery and an IP seed inventory nursery. The location of each of these individual nurseries is rotated each year to a different location within the 18 acre field. Therefore subject inbreds are not planted adjacent to comparative or standard varieties and may be located in different areas of the larger field each year, therefore being influenced by spacial differences within the field. Growing conditions within the field are not uniform as there are some slight topographical variations such as lower areas which may accumulate and retain water or higher areas which are usually drier. The field is tiled and therefore a variety maybe planted close to a tile line while a comparative variety maybe planted further away and in a low spot within the field. Temporal varieties can exist as weather conditions from year to year can vary as well as planting dates can vary from year to year based on weather conditions. Weather conditions each year can vary the maturity rate of the varieties due to either favorable or unfavorable growing conditions.

Trait variability is not observed for each variety within its own test plot-plants are usually uniform and data are collected on the "most" representative plants- variability occurs due to spacial location of the test plot for that variety from year to year and to the temporal variation of weather conditions from year to year during the 2-3 years data are collected.

Waterman Research Station Weather Data 2005-2006

Date	Average Precip. (mm)	Ave. Monthly Temp – Max. (F°)	Ave. Monthly Temp-Min (F°)	Ave. Monthly Rel. Humid Max (%)	Ave. Monthly Rel. Humid – Min (%)
June 2005	0.9	84.7	61.3	89.8	41.7
July 2005	2.0	84.9	61.7	93.4	44.7
August 2005	2.5	82.6	60.4	94.9	50.0
Sept 2005	1.8	79.9	55.0	94.3	44.3
June 2006	2.7	78.4	56.7	89.8	45.9
July 2006	2.3	84.2	64.6	93.5	55.4
August 2006	2.1	87.2	67.5	94.7	57.1
Sept 2006	1.6	80.0	61.6	90.1	50.8

5

United States Department of Agriculture, Agricultural Marketing Service Science and Technology, Plant Variety Protection Office National Agricultural Library Building, Room 400 Beltsville, MD 20705-2351

OBJECTIVE DESCRIPTION OF VARIETY CORN (Zea mays L.)

		CORN (Zea may	(S L.)			· · · · · · · · · · · · · · · · · · ·	
Name of Applicant(s)			Variety Seed Source	•	Variety Nar	ne or Temporary De	signation
Holden's Foundation Seed L.L.C.						LH342	
Address (Street & No., or R.F.D. No., City, State	e, Zip Code and Country)				FOR OFFIC	CIAL USE PV	PO Number
8350 Minnegan Road, Waterman, IL 60556		•			744	4 AAA22	
Place the engagesista number that all a line is						600032	
Place the appropriate number that describes the necessary. Completeness should be striven for	e varietal characters typical of to establish an adequate vari	this inbred variety in ety description.	the spaces below. R	ight justify	whole numb	ers by adding leading	g zeroes if
COLOR CHOICES (Use in conjunction with Mur	nsell color code to describe al	l color choices; desc	ribe #25 and #26 in Co	omments s	ection):	·	
o i - riâtit giesti 00-	Pale Yellow	11=Pink	16=Pale	Purple	,-	21=Buff	
02=Medium Green 07= 03=Dark Green 08=	Yellow	12=Light Red	17=Purp			22=Tan	
	:Yellow-Orange :Salmon	13=Cherry Red	18=Colo			23=Brown	
	Pink-Orange	14=Red	19=Whit			24=Bronze	
		15=Red & White	20=vvnii	te Capped		25=Variegated (Des 26=Other (Descri	scribe) be)
STANDARD INBRED CHOICES (Use the most	similar (in background and n	naturity) of these to n	nake comparisons bas	sed on gro	w-out trial d	lata):	
Yellow Dent Families: Family Members	Yell	ow Dent (Unrelated):		-	Sweet Cor	n:	
B14 CM105, A632, B64, B68		Co109, ND246,			C13,	Iowa5125, P39, 213	2
B37 B37, B76, H84		Oh7, T232			_		
B73 N192, A679, B73, NC268		W117, W153R W182BN			Popcorn:		
C103 Mo17, Va102, Va35, A682		AN 105DM			\$G18	533, 4722, HP301, H	IP7211
Oh43 A619, MS71, H99, Va26	\\/hi	te Dent:			Dinagoni		
WF9 W64A, A554, A654, Pa91		Cl66, H105, Ky228	ŀ		Pipecorn: Mo18	5W, Mo16W, Mo24W	i
I. TYPE: (describe intermediate types in Comm	ents section)			Standard	Inbred Nar	ne CM105	
2 1=Sweet 2=Dent 3=Flint 4=Flour 5=I	op 6=Ornamental 7=Pipeco	orn		2 Type			
2. REGION WHERE DEVELOPED IN THE U.S.A.:				Standard Seed Source			
2 1=Northwest 2=North central 3=North							
	ancasi 4-300illeasi 5-3i	Julii ceriliai 6=50ui	inwest /=Other	2 Region	l		
3. MATURITY (In Region Best Adaptability; show	v Heat Unit formula in "Comm	nents" section):			7.2.1		**
DAYS HEATUNITS		,		l da	YS	HEAT UNITS	
7.2 1.2.1.0.0 From emerg	ence to 50% of plants in silk				68	1400.5	
7 2 1 2 1 0. 0 From emerge	ence to 50% of plants in polle	n		,	64	1292.5	
From 10% to	90% pollen shed			-			
From 50% s	ilk to optimum edible quality			-			
From 50% s	ilk to harvest at 25% moisture	3				<u>_</u>	
PLANT:	Stan	dard Deviation	Sample Size	М	lean	Standard Deviation	Sample Size
2 1 1. 9 cm Plant Height (to tassel tip)	4.4	4	30	,	160.5	24.6	30
8 5.8 cm Ear Height (to base of top ea	ar node) 3.8	5	30		49.4	12.0	30
1 4. 4 cm Length of Top Ear Internode	1.5	5	30		11.7	2.0	30
Average Number of Tillers							
1.0 Average Number of Ears per St	alk 0.1	 	30	=	1.0	0.1	 15
1 Anthocyanin of Brace Roots: 1=				2			
pplication Variety Data		Page 1	·		Inbred Data		
		- ugc I		StatitualQ	minied Date	2	

Application Variety Data				2006 00	050	
· · · · · · · · · · · · · · · · · · ·	Page 2	······································	Standard Inbre	d Data		
5. LEAF:	Standard Deviation	Sample Size	Mean	Standard Deviation	Sample Size	
9.0 cm Width of Ear Node Leaf	0.4	30	7. 1	0.7	30	
7 4. 3 cm Length of Ear Node Leaf	2.6	30	6 6. 7	9.6	30	
5.6 Number of leaves above top ear	0.5	30	5. 7	0.6	15	
3 3. 1 degrees Leaf Angle (measure from 2nd leaf above ear at anth	7.5 esis to stalk above leaf)	30	4 7.8	7.0	30	
0 2 Leaf Color (Munsell code 5 GY 4/8)			0 2 (Munsel	l code 5 GY 4/8)		
Leaf Sheath Pubescence (Rate on scale	from 1=none to 9=like peach fuzz)		2			
5 Marginal Waves (Rate on scale from 1=n-	one to 9=many)		6			
6 Longitudinal Creases (Rate on scale from	1=none to 9=many)		5			
6. TASSEL:	Standard Deviation	Sample Size	Mean	Standard Deviation	Sample Size	
4.3 Number of Primary Lateral Branches	0.8	30	5. 3	1.2	30	
2 3. 1 Branch Angle from Central Spike	9.4	30	3 3, 2	9.0	30	
3 1. 7 cm Tassel Length (from top leaf collar to tassel tip)	2.2	30	3 4.4	2.6	30	
5.2 Pollen Shed (Rate on scale from 0=male s	terile to 9=heavy shed)		6.2			
0 7 Anther Color (Munsell code 2.5 Y 8/10)			0 7 (Munsell code 2.5 Y 8/10)			
1 2 Glume Color (Munsell code 2.5 R 5/8)			1 2 (Munse	eil code 2.5 R 5/8)		
1 Bar Glumes (Glume Bands): 1=Absent 2=P	resent		1			
7a. EAR (Unhusked Data):						
0 5 Silk Color (3 days after emergence) (Munsell co	ode 2.5 GY 8/6)		0.7 (Munse	ell code 2.5 Y 8/10)		
0 2 Fresh Husk Color (25 days after 50% silking) (N				ell code 5 GY 4/8)		
2 1 Dry Husk Color (65 days after 50% Silking) (Munsell code 2.5 Y 8/4)				ell code 2.5 Y 8/4)		
3 Position of Ear at Dry Husk Stage: 1=Upright 2=		•	1	code 2.5 1 0/4)		
9 Husk Tightness (Rate on scale from 1=very loos			9			
1 Husk Extension (at harvest): 1=Short (ears expo		3-10 cm hevond ear	1			
tip) 4=Very Long (>10 cm)						
7b. EAR (Husked Ear Data):	Standard Deviation	Sample Size	Mean	Standard Deviation	Sample Size	
1 5. 3 cm Ear Length	0.7	30	1 4.0	1.6	30	
3 8. 8 mm Ear Diameter at mid-point	1.4	30	3 8.0	1.4	15	
7 6.6 gm Ear Weight	2.3	30	7 3.2	1.9	15	
15.7 Number of Kernel Rows	0.9	30	1 3.9	0.9	15	
2 Kernel Rows: 1=Indistinct 2=Distinct			2			
1 Row Alignment: 1=Straight 2=Slightly Curve	d 3=Spiral		1			
1 1.6 cm Shank Length	1.9	30	6. 8	2.0	15	
2 Ear Taper: 1=Slight 2=Average 3=Extreme			2			
Application Variety Data		···	Standard Inbred I	Data		
Note: Use chart on first page to choose color codes for color tra	aits.				<u>-</u>	

2006 00032

				<i>y</i> ,0000	
Application Variety Data	Page 3		Standard Inbred	Data	
8. KERNEL (Dried):	Standard Deviation	Sample Size	Mean	Standard Deviation	Sample Size
1 1 .1 mm Kernel Length	0.6	30	0 9.2	1,0	15
7 . 1 mm Kernel Width	0.5	30	0 8.2	0.6	15
4 . 7 mm Kernel Thickness	0.4	30	0 5.1	1.2	15
. 4 5.8 % Round Kernels (Shape Grade)	3.9	500g	5 6.8	2.6	500g
Aleurone Color Pattern: 1=Homozygous 2=Segregati	ng (describe)		1		
1 9 Aleurone Color (Munsell code Lighter than 2.5 Y 9/2)			1 9 (Muns	ell code Lighter Than 2.5	Y 9/2)
0 8 Hard Endosperm Color (Munsell code 2.5 Y 7/10)			07 (Munse	ell code 2.5 Y 8/8)	·
3 Endosperm Type: 1=Sweet (su1) 2=Extra Sweet (sh: 5=Waxy Starch 6=High Protein 7=High Lysine 10=Other	2) 3=Normal Starch 8=Super Sweet (se	4=High Amylose Starch e) 9=High Oil	0 3	ŕ	
1 9.0 gm Weight per 100 Kernels (unsized sample)	3.3 230	0 seeds	2 2.5	2.6	2000 seeds
9. COB:	Standard Deviation	Sample Size	Mean	Standard Deviation	Sample Size
2 2 .4 mm Cob Diameter at mid-point	1.3	30	2 6.2	1.3	15
1 4 Cob Color (Munsell code 5 R 4/10)			1 4 (Muns	ell code 5 R 4/10)	
10. DISEASE RESISTANCE (Rate from 1 (most susceptible) to 9 (most Race or Strain Options blank if polygenic):	resistant); leave blank	if not tested; leave			
A. Leaf Blights, Wilts, and Local Infection Diseases		·			
Anthracnose Leaf Blight (Colletotrichum graminicola) Common Rust (Puccinia sorghi) Common Smut (Ustilago maydis) Eyespot (Kabatiella zeae) Goss's Wilt (Clavibacter michiganense spp. nebraskense) Gray Leaf Spot (Cercospora zeae-maydis) Helminthosporium Leaf Spot (Bipolaris zeicola) Northern Leaf Blight (Exserohilum turcicum) Southern Leaf Blight (Bipolaris maydis) Southern Rust (Puccinia polysora) Stewart's Wilt (Erwinia stewartii) Other (Specify)	Race _ Race _ Race _		3 Northern Leaf 6 Southern Leaf Southern Rus 4 Stewart's Wilt	ot rium Leaf SpotBlight Blight	Race 1 Race O
B. Systemic Diseases		İ			
Corn Lethal Necrosis (MCMV and MDMV) Head Smut (Sphacelotheca reiliana) Maize Chlorotic Dwarf Virus (MCDV) Maize Chlorotic Mottle Virus (MCMV) Maize Dwarf Mosaic Virus (MDMV) Sorghum Downy Mildew of Corn (Peronosclerospora sorghi) Other (Specify)	Strain		Maize Chlorit Maize Dwarf	ntic Dwarf Virus ic Mottle Virus Mosaic Virus wny Mildew of Corn	Strain
C. Stalk Rots					
Anthracnose Stalk Rot (Colletotrichum graminicola) Diplodia Stalk Rot (Stenocarpella maydis) Fusarium Stalk Rot (Fusarium moniliforme) Gibberella Stalk Rot (Gibberella zeae) Other (Specify)			Anthracnose Diplodia Stalk Fusarium Sta Gibberella Sta Other (Specif	Rot lk Rot alk Rot	
D. Ear and Kernel Rots					
Aspergillus Ear and Kernel Rot (Aspergillus flavus) Diplodia Ear Rot (Stenocarpella maydis) Fusarium Ear and Kernel Rot (Fusarium moniliforme) Gibberella Ear Rot (Gibberella zeae) Other (Specify)			Aspergillus E: Diplodia Ear Fusarium Ear Gibberella Ea Other (Specify	& Kernel Rot r Rot	
Application Variety Data			Standard Inbred D	Pata	-
lote: Use chart on first page to choose color codes for color traits	***************************************			***************************************	

200600032

Application Variety Data Page 4	Standard Inbred Data
11. INSECT RESISTANCE (Rate from 1 (most susceptible) to 9 (most resistant); leave blank if not tested): Standard Deviation Sample Size	Standard Deviation Sample Size
Banks Grass Mite (Oligonychus pratensis)	Banks Grass Mite
Corn Earworm (Helicoverpa zea) Leaf-Feeding Silk Feeding: mg larval wt Ear Damage	Corn Earworm Leaf Feeding Ear Damage
Corn Leaf Aphid (Rhopalosiphum maidis) Corn Sap Beetle (Carpophilus dimidiatus)	Corn Leaf Aphid Corn Sap Beetle
European Corn Borer (Ostrinia nubilalis) 1st Generation (Typically Whorl Leaf Feeding) 2nd Generation (Typically Leaf Sheath-Collar Feeding) Stalk Tunneling : cm tunneled/plant	European Corn Borer 1st Generation 2nd Generation
Fall Armyworm (Spodoptera frugiperda) Leaf-Feeding Silk-Feeding:mg larval wt.	Fall Armyworm Leaf Feeding
Maize Weevil (Sitophilus zeamaize) Northern Rootworm (Diabrotica barberi) Southern Rootworm (Diabrotica undecimpunctata)	Maize Weevil Northern Rootworm Southern Rootworm
Southwestern Corn Borer (<i>Diatraea grandiosella</i>) Leaf Feeding Stalk Tunneling: cm tunneled/plant	Southwestern Corn Borer Leaf Feeding
Two-spotted Spider Mite (Tetranychus urticae) Western Rootworm (Diabrotica virgifera virgifera) Other (Specify)	Two-spotted Spider Mite Western Rootworm Other (Specify)
12. AGRONOMIC TRAITS:	
6 Stay Green (at 65 days after anthesis) (Rate on a scale from 1=worst to 9=excellent.)	1 Stay Green
0 0 . 0 % Dropped Ears (at 65 days after anthesis)	0 0 . 1 % Dropped ears
0 0 .0 % Pre-anthesis Brittle Snapping	0 0 . 0 % Pre-anthesis Brittle Snapping
0 0. 0 % Pre-anthesis Root Lodging	0 0 . 0 % Pre-anthesis Root Lodging
0 0. 0 % Post-anthesis Root Lodging (at 65 days after anthesis)	0 0 . 0 % Post-anthesis Root Lodging
Kg/ha Yield of Inbred Per Se (at 12-13% grain moisture)	Yield
13. MOLECULAR MARKERS: (0=data unavailable; 1=data available but not supplied; 2=data supplied)	
0 Isozymes 0 RFLP's 0 RAPD'sOther (Specify)	
REFERENCES:	
Butler, D.R. 1954. A System for the Classification of Corn Inbred Lines. PhD Thesis, Ohio State University. Emerson, R.A., G.W. Beadle, and A.C. Fraser. 1935. A Summary of Linkage Studies in Maize. Cornell A.E.S., Mem. 180 Farr, D.F., G.F. Bills, G.P. Chamuris, A.Y. Rossman. 1989. Fungi on Plant and Plant Products in the United States. The A Inglett, G.E. (Ed.) 1970. Corn: Culture, Processing, Products. Avi Publishing Company, Westport, CT. Jugenheimer, R.W. 1976. Corn: Improvement, Seed Production, and Uses. John Wiley & Sons, New York. McGee, D.C. 1988. Maize Diseases. APS Press, St. Paul, MN. 150 pp. Munsell Color Chart for Plant Tissues. Macbeth. P.O. Box 230. Newburgh, N.Y. 12551-0230 The Mutants of Maize. 1968. Crop Science Society of America. Madison, WI. Shurtleff, M.C. 1980. Compendium of Corn Diseases. APS Press, St. Paul, MN. 105 pp. Sprague, G.F., and J.W. Dudley (Editors). 1988. Corn and Corn Improvement, Third Edition. Agronomy Monograph 18. A Stringfield, G.H. Maize Inbred Lines of Ohio. Ohio A.E.S., Bul. 831. 1959. U.S. Department of Agriculture. 1936, 1937. Yearbook.	American Phytopathological Society, St. Paul, MN.
COMMENTS (e.g. state how heat units were calculated, standard inbred seed source, and/or where data was collected. C	Continue in Exhibit D):
Heat Unit Calculation: GDU = <u>Daily Max Temp (<=86°F) + Daily Min Temp (>=50°F)</u> 2 Supplemental data provided for pollen shed, ear weight, % round kernels and weight per 100 kernels from inventory data. Supplemental data on quantitative traits for subject variety 'LH342' obtained from 2006 an	2006 production parent test data and 2006 seed

REPRODUCE LOCALLY. Include form qualitier and edition date on .	ន់រៀវឌុទ្ធរាយដែលជន់onsi.	FORM APPROVED - OMB No. 0581-005
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE EXHIBIT E	Application is required in order to de certificate is to be issued (7 U.S.C. 2 confidential until the certificate is issued.	421). The information is held
STATEMENT OF THE BASIS OF OWNERSHIP	1	
1. NAME OF APPLICANT(S)	Z TEMPORARY DESIGNATION	3. VARIETY NAME
Holden's Foundation Seeds L.L.C.	OR EXPERIMENTAL NUMBER	LH342
4. ADDRESS (Successor No., ex.R.F.O; Me., City, Stole, and ZIP, and Chantago	5: TELEPHONE (trabade area ocose)	5: FAX (Include otherwells)
8350 Minnegan Road	(815) 758-9281	(815) 758-3117
Waterman, IL 60556 U.S.A.	7. PVPO NUMBER	200600032
8. Does the applicant own all rights to the variety? Mark an "X" in ti	<u> </u>	
9. Is the applicant (individual or company) a U.S. National or a U.S.	based company? If no, give name of c	ountry X YES NO
10. Is the applicant the original owner? X YES NO	If no, please answer one of the fol	owing:
a. If the original rights to variety were owned by individual(s), is	(gra) the original owner(e) a LLS. Nation	sl/e\2
a. It the digital rights to valiety were owned by individual(s), is		11(5)1
YES NO	If no, give name of country	
b. If the original rights to variety were owned by a company(ies), is (are) the original owner(s) a U.S. bas	ed company?
YES NO	If no, give name of country	
11. Additional explanation on ownership (If needed, use the reverse	for extra space):	
Corn Variety LH342 was originated and development Seeds, L.L.C. By agreement be breeder, all rights to any invention, discove Foundation Seeds, L.L.C. No rights to such the breeder.	etween Holden's Foundation See ry or development are assigned t	ds, L.L.C. and the o Holden's
PLEASE NOTE:		
Plant variety protection can only be afforded to the owners (not licen	sees) who meet the following criteria:	•
If the rights to the variety are owned by the original breeder, that p national of a country which affords similar protection to nationals of a country which affords similar protection.	person must be a U.S. national, national of the U.S. for the same genus and specie	f a UPOV member country, or
If the rights to the variety are owned by the company which emplo nationals of a UPOV member country, or owned by nationals of a genus and species.	yed the original breeder(s), the company country which affords similar protection to	must be U.S. based, owned by a nationals of the U.S. for the same
3. If the applicant is an owner who is not the original owner, both the	original owner and the applicant must me	eet one of the above criteria.
The original breeder/owner may be the individual or company who di Act for definitions.	irected the final breeding. See Section 4	1(a)(2) of the Plant Variety Protection
According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor control number. The valid OMB control number for this information collection is 0581-0555, response, including the time for reviewing the instructions, searching existing data sources.	 The time required to complete this information collect 	ion is estimated to average 6 minutes per

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or marital or family status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-2800 (voice and TDD). To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 325-W, Whitten Building, 14th and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

REPRODUCE LOCALLY. Include form number and date on all reproductions

Form Approved OMB NO 0581-0055

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 5 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MD 20705

EXHIBIT F

NAME OF OWNER (S) Holden's Foundation Seeds LLC	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country) 8350 Minnegan Road, Waterman, IL 60556 USA	TEMPORARY OR EXPERIMENTAL DESIGNATION
NAME OF CHAIRED DEDDESCRIPTATIVE (C)		VARIETY NAME LH342
NAME OF OWNER REPRESENTATIVE (S) Timothy R. Kain	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country) 8350 Minnegan Road, Waterman, IL 60556 USA	FOR OFFICIAL USE ONLY PVPO NUMBER
		200600032

I do hereby declare that during the life of the certificate a viable sample of propagating material of the subject variety will be deposited, and replenished as needed periodically, in a public repository in the United States in accordance with the regulations established by the Plant Variety Protection Office.

mith R. K.

3/17/2008